

GERMI-KLEEN

Non-Acid Bowl & Bathroom Disinfectant Cleaner

DESCRIPTION

This product is a ready-to-use non-acid bowl and bathroom cleaner that cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all non-porous inanimate surfaces found in the bathroom (restroom) (in the presence of organic soil). It eliminates odors, leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects, and deodorizes surfaces by killing odor-causing microorganisms and prevents the growth of mold and mildew. Its non-abrasive formula is designed for daily use on restroom surfaces: glass, glazed ceramic, glazed tile, glazed porcelain, chrome, stainless steel, and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms, and locker rooms.

PRODUCT FEATURES / BENEFITS

- One step bathroom disinfectant cleaner / Multiple activity reduces maintenance inventory costs
- Effective against MRSA, CA-MRSA, HIV-1 (Aids virus), HBV (Hepatitis B), HCV (Hepatitis C) and Mycobacterium Tuberculosis (TB) / Reduces contamination risks
- Non-acid / Will not harm personnel or ruin surfaces
- Long lasting odor / Superior deodorization
- Powerful disinfectant / Effective in presence of organic soil (5% blood serum)

SPECIFICATIONS

Active Ingredients	Dual Quaternary
Color	Green
Odor	Fresh Giane™
Viscosity (cps)	<10
pH	12.2 ± 0.5
Specific Gravity (g/cc)	1.01 ± 0.01

EFFICACY CLAIMS

VIRUICIDAL CLAIMS

- Bovine Viral Diarrhea Virus (BVDV)
- Canine Parvovirus (ATCC VR-2017)
 Feline Calicivirus (FCV)
- Hepatitis A Virus (HAV)
 Hepatitis B Virus (HBV)
- •Hepatitis C Virus (HCV)
- •Duck Hepatitis B Virus BVDV •Bovine Viral Diarrhea Virus BVDV
- Human Immunodeficiency Virus, HTLV-IIIRF, strain of HIV-1 (associated with AIDS)
 Human Coronavirus, (ATCC VR-740, strain 229E)
 Norovirus (Norwalk Virus)

- Polivirus Type 1, strain Brunhilde (ATCC VR-1000)
 Paramyxovirus (Mumps) (ATCC VR-1438),
- •SARS Associated Coronavirus (ZeptoMetrix)
- Avian Influenza A strain H3N2 (ATCC VR-2072)
 Avian Influenza A strain H9N2 (Charles River Laboratories) (Strains H3N2 and H9N2)

TUBERCLOCIDAL CLAIM

Mycobacterium bovis (BCG)

- FUNGICIDAL CLAIM

 •Aspergillus niger (ATCC 6275)

 •Trichophyton mentagrophytes (ATCC 9533)

BACTERIOCIDAL CLAIMS

- •Staphylococcus aureus (ATCC 6538) •Salmonella choleraesuis (ATCC 10708)
- Pseudomonas aeruginosa (ATCC 15442)
- •Corynebacterium ammoniagenes (ATCC 6871)

- -Corynebacterium ammoniagenes (ATCC 6871)
 -Entercoccous faecium (ATCC 6569)
 -Escherichia coli (ATCC 11229)
 -Escherichia coli 0157:H7 (ATCC 43895)
 -Listeria monocytogenes (ATCC 35152)
 -Salmonella (typhi) (ATCC 6839)
 -Salmonella (typhi) (ATCC 6839)
 -Salmonella (typhi) (ATCC 6839)
- ·Salmonella (typhi) enterica, (ATCC 6539)
- •Streptococcus pyogenes (Necrotizing Fasciitis Group A) (V.A. Medical Center Isolate 04001
- Yersinia enterocolitica (ATCC 23715)
 Methicillin resistant Staphylococcus aureus (MRSA) (ATCC 33593)
- •Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA),
- (NRS 123) Genotype USA400
 •Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA),
- (NRS 384) Genotype USA300 •Methicillin resistant Staphylococcus epidermidis (MRSE) (ATCC 51625)
- Vancomycin resistant Enterococcus faecalis (VRE) (ATCC 51575)
- ·Vancomycin intermediate resistant Staphylococcus aureus (VISA) (CDC Isolate 99287)



RESTROOM CARE

HMIS HAZARD CODE	
1	HEALTH
0	FLAMMABILITY
0	PHYSICAL HAZARD
В	PERSONAL PROTECTION

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces

DISINFECTION, DEODORIZING AND CLEANING - Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 1 minute and for HBV and HCV 5 minutes). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum. To disinfect food service establishment food contact surfaces: countertops, appliances, tables, hold container six to eight inches from the surface to be treated and spray area until it is covered with the solution. Allow to penetrate and remain wet for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 1 minute and for HBV and HCV 5 minutes). Wipe off with a clean cloth, mop or sponge and thoroughly rinse all surfaces in the area with potable water. Heavily soiled areas must be pre-cleaned before using this product. Do not use on eating utensils, glassware and cookware.

TUBERCULOCIDAL ACTIVITY – This product exhibits disinfectant efficacy against Mycobacterium tuberculosis BCG at 20 degrees Centigrade when the treated surface is allowed to remain wet for 5 minutes.

*VIRUCIDAL ACTIVITY - This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a 10 minute contact time against: Hepatitis A Virus (HAV), Poliovirus Type 1, Canine Parvovirus. KILLS HIV-1, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings. CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. CONTACT TIME: Allow surface to remain wet for HBV and HCV 5 minutes, for HIV-1 1 minute. These contact times will not control other common types of viruses and bacteria. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. FUNGICIDAL ACTIVITY - This product is fungicidal against the pathogenic fungus,

Trichophyton mentagrophytes (Athlete's Foot Fungus), when used with a 10 minute contact time on clean, non-porous, hard surfaces as found in bathrooms, shower stalls, locker rooms, or other areas commonly contacted by bare feet. EFFICACY TESTS HAVE DEMONSTRATED THAT This product IS AN EFFECTIVE

BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM). MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous

surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears

SAFETY INFORMATION

CAUTION: KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

Registered with the Environmental Protection Agency



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail:info@nclonline.com