


**SAFETY DATA SHEET**

**Section 1 - Identification**

<b>Product Identifier</b>	BARE BONES® No-Rinse/No-Scrub Liquifying Stripper
<b>Other means of identification</b>	1058
<b>Recommended use</b>	Floor finish remover.
<b>Recommended restrictions</b>	For commercial and industrial use only.
<b>Manufacturer / Importer / Supplier / Distributor Information</b>	
<b>Company Name</b>	National Chemical Laboratories of PA, Inc.
<b>Address</b>	401 N. 10th Street - Philadelphia, PA 19123
<b>Telephone</b>	1 (215) 922-1200
<b>Supplier Email</b>	info@nclonline.com
<b>Contact</b>	CHEM-TEL
<b>Emergency Phone</b>	1 (800) 255-3924

**Section 2 - Hazard(s) Identification**

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category	
<b>Physical Hazards</b>	Not Classified		
<b>Health Hazards</b>	Acute toxicity, dermal	4	
	Acute toxicity, inhalation	4	
	Acute toxicity, oral	4	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: respiratory tract irritation
<b>OSHA defined hazards</b>	Not Classified.		
<b>Label Elements</b>			
<b>Hazard Symbol</b>			
<b>Signal Word</b>	Danger		
<b>Hazard Statement</b>	Causes severe skin burns and eye damage. Harmful if swallowed, in contact with skin or if inhaled. May cause respiratory irritation.		
<b>Precautionary statement</b>			
<b>Prevention</b>	Do not breathe the mist or vapor. Use only in well-ventilated areas. Wear protective gloves/clothing and eye/face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep out of reach of children.		
<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
<b>Storage</b>	Store locked up. Store in a well-ventilated place. Keep cool.		
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.		
<b>Hazard(s) not otherwise classified (HNOC)</b>	Not classified.		

**Section 3 - Composition/Information on ingredients**

<b>Mixture</b>			
<b>Hazardous Components</b>	Ingredient Name	CAS #	%
	2-Amino Ethanol	141-43-5	5 - 10
	2-Butoxyethanol	111-76-2	25 - 45

**Section 4 - First-aid Measures**

<b>Inhalation</b>	Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way
-------------------	---

# SAFETY DATA SHEET

	valve or other proper respiratory medical device. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Immediately flush skin with plenty of water. Get prompt medical attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.
<b>Most Important symptoms /effects, acute and delayed</b>	Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be delayed.
<b>Indication of immediate medical attention and special treatment</b>	Treat symptomatically.
<b>General Information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.

## Section 5 - Fire-fighting measures

<b>Suitable extinguishing media</b>	Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	None known.
<b>Special protective equipment and precautions for firefighters</b>	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment /instructions</b>	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

## Section 6 - Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures.</b>	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

<b>Precautions for safe handling</b>	Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep container closed. Keep out of reach of children.

## Section 8 - Exposure control/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	TWA	6 mg/m <sup>3</sup> , 3 ppm	
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m <sup>3</sup> , 50 ppm	

#### US. ACGIH Threshold Limit Values

Component	Type	Value	Form
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
2-Amino Ethanol (CAS 141-43-5)	STEL	6 ppm	
2-Amino Ethanol (CAS 141-43-5)	TWA	3 ppm	

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Amino Ethanol (CAS 141-43-5)	STEL	15 mg/m <sup>3</sup> , 6 ppm
2-Amino Ethanol (CAS 141-43-5)	TWA	8 mg/m <sup>3</sup> , 3 ppm
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m <sup>3</sup> , 5 ppm

#### US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines** Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155, Airborne Contaminants

# SAFETY DATA SHEET

**US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.

**US.NIOSH: Pocket Guide to Chemical Hazards**

Component	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**US.OSHA Table Z-1-A (29 CFR 1910.100)**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**US.Tennessee. OELs Occupational Exposure Limkits, Table Z1A**

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed though the skin.

**Appropriate engineering controls** Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Provide easy access to water supply and eye wash facilities.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** If use of product risks exposure to contact, wear safety glasses with side shields.

**Skin protection**

**Hand protection** Impervious gloves are recommended for prolonged use.

**Other** If use of product risk exposure to contact, wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## Section 9 - Physical and chemical properties

<b>Appearance</b>	Clear.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Pale Straw.
<b>Odor</b>	Sassafra.
<b>Odor threshold</b>	Not available.
<b>pH</b>	11.7
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	212 °F (100 °C)
<b>Flash point</b>	>201°F (94°C) TCC
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Similar to water.
<b>Vapor density</b>	Similar to water.
<b>Relative density</b>	0.97 ± 0.01
<b>Relative density temperature</b>	75 °F (23.9 °C)
<b>Solubilities (water)</b>	100 % Soluble.
<b>Partition Coefficient n-octanol/water</b>	Not available

# SAFETY DATA SHEET

Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.9 °C)

## Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from heat and direct sunlight. Contact with incompatible materials.
Incompatible materials	Oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide. Nitrogen oxides.

## Section 11 - Toxicological information

### Information on likely routes of exposure

Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	Irritating to respiratory system. May cause burns in mucous membranes, throat, esophagus and stomach.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be delayed.

### Information on toxicological effects.

Acute toxicity Harmful if inhaled, absorbed through skin, or swallowed.

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Guinea pig	1.2 g/kg
	Acute	Oral	LD50	Mouse	1519 mg/kg
	Acute	Oral	LD50	Rabbit	0.32 g/kg
Acute	Oral	LD50	Rat	560 mg/kg	

Skin corrosion/irritation Causes skin burns.

Serious eye damage/ eye irritation Causes serious eye damage.

Respiratory sensitization Not classified.

Skin sensitization Not classified.

Germ cell mutagenicity Not classified.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Component	Result	Comment
2-Butoxyethanol (CAS 111-76-2)	3	Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity - single exposure Irritating to respiratory system.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not classified.

Chronic effects 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

## Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

### Partition coefficient n-octanol / water log (Kow)

Components	Results
------------	---------

# SAFETY DATA SHEET

2-Butoxyethanol (CAS 111-76-2) 0.83  
2-Amino Ethanol (CAS 141-43-5) -1.31

**Mobility in soil** Not available.  
**Mobility in general** The product is water soluble and may spread in water systems.  
**Other adverse effects** None known.

## Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.  
**Local disposal regulations** Dispose of in accordance with local regulations.  
**Hazardous waste code** Waste codes should be assigned by the user based on the application for which the product was used.  
**Waste from residues / unused products** Dispose in accordance with all applicable regulations.  
**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## Section 14 - Transport information

**DOT** Not regulated as dangerous goods.  
**IATA** Not regulated as dangerous goods.  
**IMDG** Not regulated as dangerous goods.  
**Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code** This substance/mixture is not intended to be transported in bulk.

## Section 15 - Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)** Not regulated.  
**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not on regulatory list.  
**CERCLA Hazardous Substance List (40 CFR 302.4)**

Components	Result
2-Butoxyethanol (CAS 111-76-2)	LISTED

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No

**SARA 302 Extremely hazardous substance** No  
**SARA 311/312 Hazardous chemical** Yes  
**SARA 313 (TRI reporting)**

Chemical name	CAS #	% by wt.
2-Butoxyethanol	111-76-2	25 - 45

### Other federal regulations

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List** Not regulated.  
**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)** Not regulated.  
**Safe Drinking Water Act (SDWA)** Not regulated.  
**Food and Drug Administration (FDA)** Not regulated.

### US state regulations

#### US.Massachusetts RTK - Substance List

Components  
2-Butoxyethanol (CAS 111-76-2)  
2-Amino Ethanol (CAS 141-43-5)

#### US.New Jersey Worker and Community Right-to-Know Act

Components  
2-Butoxyethanol (CAS 111-76-2)  
2-Amino Ethanol (CAS 141-43-5)

#### US.Pennsylvania RTK - Hazardous Substances

Components  
2-Butoxyethanol (CAS 111-76-2)  
2-Amino Ethanol (CAS 141-43-5)

#### US.Rhode Island RTK

Components  
2-Butoxyethanol (CAS 111-76-2)  
2-Amino Ethanol (CAS 141-43-5)  
California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or reproductive toxins.

# SAFETY DATA SHEET

## International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2021

Version # 02

HMIS Hazard Codes

PPE A

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.